

FCF Platinum

Self-Contained Air Conditioning Series



Interior Cabin Cooling

Platinum is the new standard.

The FCF Platinum series is the latest development in Webasto's line of marine comfort solutions. The FCF Platinum features improved design, offering a higher BTU/h rating across a variety of ambient scenarios, while still providing unmatched product reliability and a two-year warranty

FCFP 6,000	Rated Voltage	115V	230V
	Part Number	5011394	5011395
	Cooling Capacity	6,000 BTU/h	
	Heating Capacity	6,000 BTU/h	
	Rated Frequency	60Hz	50 / 60Hz
	Rated Current	4.7 A	2.9 / 2.4 A
	Refrigerant Charge	R410A (0.35kg)	
	Comp. LRA	21A	14A
	Min. Condenser Water Flow	1.06 Gal/Min. (4 L/Min.)	
	Dimensions (L x W x H)	11.2 x 16 x 11.6 in (285 x 408 x 295 mm)	
	Weight	56 lbs (25.5kg)	



FCFP 10,000	Rated Voltage	115V	230V
	Part Number	5011396	5011397
	Cooling Capacity	10,000 BTU/h	
	Heating Capacity	10,000 BTU/h	
	Rated Frequency	60Hz	50 / 60Hz
	Rated Current	7.2 A	4.2 / 3.7 A
	Refrigerant Charge	R410A (0.45kg)	
	Comp. LRA	34A	17A
	Min. Condenser Water Flow	1.59 Gal/Min. (6 L/Min.)	
	Dimensions (L x W x H)	15 x 16 x 12.2 in (380 x 408 x 310 mm)	
	Weight	60 lbs (27kg)	



FCFP 12,000	Rated Voltage	115V	230V
	Part Number	5011398	5011399
	Cooling Capacity	12,000 BTU/h	
	Heating Capacity	13,000 BTU/h	
	Rated Frequency	60Hz	50 / 60Hz
	Rated Current	10A	5.1 / 4.6 A
	Refrigerant Charge	R410A (0.5kg)	
	Comp. LRA	47A	27A
	Min. Condenser Water Flow	2.77 Gal/Min. (10.5 L/Min.)	
	Dimensions (L x W x H)	21.6 x 13.1 x 12.5 in (549 x 330 x 320 mm)	
	Weight	72 lbs (33kg)	




FCFP 16,000

Rated Voltage	115V	230V
Part Number	5011400	5011401
Cooling Capacity	16,000 BTU/h	
Heating Capacity	16,200 BTU/h	
Rated Frequency	60Hz	50 / 60Hz
Rated Current	11.2 A	5.7 / 5.6A
Refrigerant Charge	R410A (0.7kg)	
Comp. LRA	60A	35A
Min. Condenser Water Flow	3.43 Gal/Min. (13 L/Min.)	
Dimensions (L x W x H)	24.3 x 13.5 x 13 in (619 x 343 x 330 mm)	
Weight	88 lbs (40kg)	



FCFP 25,000

Rated Voltage	230V	
Part Number	5011403	
Cooling Capacity	25,500 BTU/h	
Heating Capacity	25,900 BTU/h	
Rated Frequency	50 / 60Hz	
Rated Current (C/H)	6.8/ 8.0 A	
Refrigerant Charge	R410A (0.95kg)	
Comp. LRA	52A	
Min. Condenser Water Flow	6.34 Gal/Min. (24 L/Min.)	
Dimensions (L x W x H)	20.8 x 23.4 x 15 in (529 x 595 x 386 mm)	
Weight	133 lbs (60.5kg)	



FCF Platinum | Product Features + Installation

- Long and slim new footprint featured on the 12,000 and 16,000 BTU/h models - allowing for easy replacement of existing units
- Engineered for better performance with a higher BTU/h rating across a variety of ambient scenarios
- Digital display with controller and cable come standard
- 2-year warranty with unmatched product reliability
- Marine-grade stainless steel frame for durability and longevity
- Cupronickel evaporator
- Proprietary compressor - well balanced and quiet than ever before
- Low cost replacement parts



Accessories | KoolAir Pumps & Control

Webasto is the North American exclusive distributor of KoolAir Pumps to the marine industry.

- Three pumps available; PM500, PM1000 and TPM1000
- PM500 is a FULLY submersible pump
- Run Dry and Thermal Overload Protection
- All are available in 115 and 230V
- Motors are rated as: continuous duty
- One phase pumps



**NOW
AVAILABLE**

- ON/OFF button
- +/- buttons - adjusts the set temperature
- FAN - sets the fan speed - AUTO, LOW, MEDIUM, HIGH
- DISPLAY SCREEN
- MODE - selects desired mode - AUTO, COOL, DRY, FAN, HEAT



FCF Remote Control

- Control your FCF from any place on your vessel
- Accessory option for all FCF Platinum Units

Part Number 5012610

Webasto Thermo & Comfort
North America, Inc.

15083 North Road
Fenton, Michigan 48430
USA

Toll Free: 800-860-7866
Phone: 810-593-6000

webasto-comfort.com

